

CONTENTS AND ABSTRACTS

DATA TRANSMISSION AND PROCESSING

B.A. Alpatov, P.V. Babayan, S.E. Korepanov. THE CORRELATION ALGORITHM FOR MOVING OBJECT TRACKING IN THE PRESENCE OF CLOSELY SPACED SIMILAR OBJECTS

Key words: object tracking, coordinates measurement, criterial function, correlation algorithm, Kalman filtering.

Analytical and heuristic correlation algorithms for object tracking are offered. The feature of these algorithms consists in using of penalty function which allows to take into account the value of a deviation between the measured and predicted object coordinates. Object tracking is carried out in the presence of other objects and background regions, which are similar to object of observation. The results of experimental research are also presented3

V.V. Ereemeev, P.A. Knyazkov, A.E. Moskvitin. ESTIMATION OF ADDITIVE NOISE LEVEL ON SPACE IMAGES OF THE EARTH SURFACE

Key words: space images, dispersion estimation of additive noise, adaptive models of autocorrelation function.

Approaches to calculation models parameters of the autocorrelation function providing the most exact estimation degree distortion of images by additive noise are presented. The mathematical parities describing accuracy of an estimation of a noise dispersion are received. Results of experimental research using real space images of a terrestrial surface are presented.....8

S.V. Popov. PURPOSE AND PHILOSOPHY OF ORGANIZING THE COMMUNICATION IN SATELLITE SYSTEMS «THURAYA», «ACES»

Key words: satellite, communication, range, service, subscriber, standard, interface.

The structure and composition of the space, ground-based and subscriber segments of permanently developing satellite communication systems «Thuraya», «ACeS», «Iridium» as well as individual interfaces optimizing their characteristics depending on satellite channel's specific character have been analyzed11

I.A. Saitov, D.Yu. Muzalevskiy. DETECTION OF UNAUTHORIZED INFLUENCE IN THE LINE CHANNELS OF THE DEPARTMENT FIBER-OPTIC TELECOMMUNICATIONS NETWORK

Key words: unauthorized access, fiber-optic line channel, intensity of the optical signal, data-measuring system, factors of the functioning conditions.

The new approach to organization of the permanent control over fiber-optic line channels with wavelength division multiplexing and fiber-optic amplifiers of departmental transport networks is suggested17

S.S. Sadykov, I.A. Safiulova, M.I. Tkachuk. THE TECHNOLOGY OF HEART ULTRASOUND IMAGE PROCESSING ON EXTERNAL COMPUTER

Key words: echocardiographic image processing, automatization system ultrasound.

This article describes the technology of ultrasound heart image processing. The common system scheme is given, main modules and information streams are described. The main algorithms description and their results are presented.....22

I.V. Balandin. THE ALGORITHM OF SPEECH SIGNALS SEGMENTATION FOR AUTOMATIC KEYWORDS SPOTTING SYSTEM

Key words: speech recognition, speech segmentation, wavelet packet decomposition.

The algorithm of a speech signal segmentation on acoustically homogeneous elements for automatic and speaker-independent keyword spotting system in continuous speech that uses static and dynamic parameters is carried out. The offered algorithm is shown to provide big reliability of segmentation in comparison with the algorithms using only dynamic parameters.....27

RADIOTECHNICAL AND MEASURING SYSTEMS**S.N. Kirillov, A.D. Tokar. GAME – THEORETIC APPROACH IN DEFINITION OF OPTIMUM BEHAVIOUR STRATEGIES OF TWO CONTRADICTIONARY AIR OBJECTS**

Key words: differential game, combined criterion of quality, flight trajectory, cross-section acceleration, optimum strategies of behaviour.

Optimum strategies of management object (MO) and flying vehicle (FV) behaviour providing minimal final miss are synthesized on the basis of differential games theory. Recommendations about possible variants of MO and FV management at which the minimax final miss is provided are formulated. It is proved that at prompting on maneuvering FV the values of final MO miss are 10 ... 20 % less, in comparison with traditional method of proportional prompting32

S.N. Buzykanov. ALGORITHM OF RESULTS PROCESSING FOR TRAJECTORY MEASUREMENTS IN WEIGHTED SOBOLEV SPACE

Key words: weighted Sobolev space W_2^1 , space object trajectory defining.

The task of spacecraft trajectory defining is described using measurements processing in the weighted Sobolev space W_2^1 . Processing system block diagram has been offered and algorithm to define optimal weighed coefficient α in the context of mean-square error minimum has been proved allowing to decrease influence of errors in measurement channels as compared to similar systems in the space L_2 . It is shown that the gain for simulated systems can make 30%38

V.G. Andrejev. VECTOR REGRESSION SPECTRAL ANALYSIS OF REFLECTIONS FROM A ROTATING OBJECT

Key words: liner vector autoregression, spectrum, spectral parametrical estimation, vector modeling of time sequences, redefined Yule-Walker's equation, quasi inverse matrix, minimization of root-mean-square error.

The task of the spectral analysis of reflections from a rotating object is considered. An object is supervised in various ranges of electromagnetic waves lengths. A redefined vector autoregression model is offered to use. It is shown, that the application of this model gives possibility on short (two-three turns of an object) experimental sample of supervision to detect the fact of rotation and to measure its frequency. The offered method allows to reduce 1,5...4 times a relative error of an estimation of object rotation frequency in comparison with usual vector regression of the same order $p=2...5$. The advantage is reached by taking into account the linear prediction errors exceeding the lag p length43

S.S. Mamonov. DYNAMICS OF ASTATIC SEARCH SYSTEM OF FREQUENCY-PHASE AUTOMATIC FREQUENCY CONTROL

Key words: synchronisation modes, limiting cycles, automatic frequency control.

The astatic search system of frequency-phase automatic frequency control is considered. Estimations of attraction domains for balance state and a condition of rotary modes existence are received. It is shown the at addition of the frequency ring can bring to the increase project part of sphere of gravitation balance stat (more than 70%).....48

M.L. Grishin, F.A. Danilkin. DEVELOPMENT OF DEVICES FOR COLLECTING POSITION DATA AND OTHER MOVING OBJECTS TELEMETRY IN REAL TIME

Key words: monitoring, recorder, telemetry, data processing.

The article proposes a system of processing and organization of data in devices for collecting moving objects telemetry with the ability to transfer data in real time, as well as methods of designing such a device, tested in practice.....55

COMPUTER SCIENCE AND APPLIED MATHEMATICS

V.N. Ruchkin, V.A. Romanchuk. DEVELOPMENT OF NEUROPROCESSOR SYSTEMS ANALYSIS SOFTWARE

Key words: neuroprocessor, analysis of multiprocessor systems, information processing.

This article examines the development of software designed for modeling and analysis of neuroprocessor structures for given class of algorithms. The adaptation of the general method of analysis of multi-family units of neuroprocessor NM640x was shown for a given algorithm processing. The structures of neuroprocessor systems were proposed and estimations of effectiveness for each structure were obtained. The structure of software system was designed in accordance with the method of analysis. The software complex "NeuroCS" was shown for modeling and analysis system of information processing based on neuroprocessor family NM640x61

V.A. Antipov, R.E. Guzenko. GRAPH MODEL OF CONTROL AND DIAGNOSTICS DOMAIN OF RADIO-ELECTRONIC MEDICAL PURPOSE EQUIPMENT MANUFACTURING PROCESS

Key words: domain, graph model domain, checking graph.

Questions of domain construction (*DoG*) which displays semantics of a subject domain in terms of concepts and knowledge are considered67

A.V. Kroshilin. APPLICATION OF INDISTINCT CLUSTERIZATION FOR EFFECTIVE MONITORING OF THE STATISTICAL INFORMATION IN SYSTEMS INDISTINCT ANALYTICAL

Key words: Clusterization, estimated function, analytical systems.

The advanced clusterization algorithm on the basis of the indistinct relation of the equivalence, generated on the basis of properties of the investigated data in indistinct analytical systems is offered. Indistinct estimated function of clusterization quality for construction of indistinct system is received. The indistinct clusterization technique using the estimated function of clusterization quality allowing completely to formalize the problem decision clusterization is developed71

O.R. Nikitin, A.V. Nikitin, A.A. Shulyatyev. MODELING PARAMETERS OF THE RADIO THERMAL ELECTROMAGNETIC FIELD IN THE LAYERED MEDIA

Key words: radiothermal radiation, layered media.

Computer models of the radio thermal radiation of some layered media are developed. Experimental verification of reliability of the results of computer modeling is performed. The developed models are shown to be used for radio thermal radiation of natural media modeling.....76

A.N. Andreev. DESIGNING OF TOP-LEVEL ONTOLOGY FOR UNITIZED DESCRIPTION OF OLAP CUBES

Key words: multidimensional model, ETL, OLAP cube, ontology, Semantic Web, OWL.

The design process of top-level ontology for unitized description of OLAP cubes and formalization of OLAP cube concepts based on Semantic Web technology is considered80

ELECTRONICS

E.V. Mamontov, A.A. Dyagilev, E.Yu. Grachev. CREATION OF TWO-DIMENSIONAL LINEAR ELECTRIC FIELDS BY THE SYSTEMS OF PLANE DISCRETE EQUIPOTENTIAL ELECTRODES

Key words: mass spectrometry, time of flight separation of charged particles, two-dimensional linear potential distribution, flat discrete electrodes.

The possibility of creation of two-dimensional linear electric fields by the systems of plane discrete electrodes is considered. The idea is based on the establishment of discrete linear distribution of the average potential along the axis of the ion drift. Two variants of the electrode systems are considered: having variable electrical transparency along the axis of the ion drift and having variable density distribution of the elements of discrete electrodes. The possibility of two-dimensional electric fields forming by the systems of this type is shown. The results of computer simulation of charged particles trajectories are given 84

I.A. Lvova. MODELING OF RESONANT SYSTEM ON THE BASIS OF DIELECTRIC RESONATOR FOR MICROWAVE MEASURING DEVICES OF PHYSICAL QUANTITIES

Key words: dielectric resonator, resonant system, tuning range, mode-matching method.

Modeling of the generalized multilayer cylindrical resonator by a rigorous mode-matching method is presented in this paper. Resonant system with tunable dielectric resonator and dielectric tuning disk is considered. Properties of TE₀₁ mode such as tuning range and resonant frequency are investigated for ring-type dielectric resonator. 88

MANAGEMENT

V.P. Koryachko, D.A. Perepelkin, A.I. Perepelkin. THE DEVELOPMENT OF DYNAMIC ROUTING ALGORITHM ON THE BASIS OF IGRP PROTOCOL IN CORPORATIVE COMPUTING NETS

Key words: dynamic routing, IGRP protocol.

The algorithm of dynamic routing based on IGRP protocol allowing to decrease the complexity of routing tables construction in corporative computing nets is offered 94

N.V. Goev. SYNTHESIS OF THE AUTOMATIC TEST SYSTEMS ON THE BASIS OF HARDWARE-SOFTWARE MODULES

Key words: automatic test, test systems, hardware-software modules.

Definition of the module of the automatic test systems (ATS) as hardware-software systems is presented. Problems of synthesis of base hardware maintenance and the automatic test systems are formulated. The offered decisions allow to reduce expenses for creation and manufacture of ATS in 2-3 times 98

V.A. Fatkin. TO THE QUESTION OF PERFECTION OF AN ENTERPRISE ORGANIZATION ENVIRONMENT ON THE BASIS OF INFORMATION SUPPORT AND TQM FOUNDATIONS

Key words: information technologies, quality, process approach, management, cell, TQM foundation.

The approach to perfection of an enterprise organization environment on the basis of cells building, information technologies application, TQM foundations to reduce losses and to improve management is supposed 102

I.V. Loginov. PLANNING OF REQUESTS PROCESSING PROCESSES IN THE HOMOGENEOUS COMPUTER NETWORK OF CAM SYSTEMS BASED ON UTILITY FUNCTIONS

Key words: planning, requests processing, homogeneous computer network, utility function, prognostication.

A new method of computer requests processing planning in the homogeneous computer network based on utility functions consisting of network resources distribution between requests from queue according to predicted processing result utility is suggested 105

BRIEF REPORTS

V.P. Panov, A.A. Shishkov, V.I. Yurkin, V.P. Rybachek, P.M. Meleshkevich, V.I. Poognin, E.A. Stroikov, A.N. Yunakov. ON THE DESIGNING OF TUBES WITH THE HIGH TRANSIT ANGLES

Key words: monotron, high-power.

A review of main works dealing with the tubes having high transit angles – diod and monotron has been made. The article speaks about the designing of the first experimental monotron with 100kW pulsed power and 2kW average power having the wavelength of 5,5 cm; as well as monotron type tube with 200kW power and 30% efficiency factor 110

I.V. Siginov, S.A. Baturkin, V.A. Zimenko, E.Yu. Baturkina. MANAGEMENT OF SYSTEM OF DISTANCE LEARNING ON THE BASIS OF THE PROCESS APPROACH

Key words: distance learning, system of distance learning, quality management system, a process landscape, the centre of distance learning.

On the basis of system of a quality management of the Ryazan state radio engineering university (RSREU) the process landscape of RSREU distance learning system is developed and the basic processes of support of distance learning are described..... 113

O.G. Svetnikov, S.A. Serikov. DECISION-MAKING SYSTEMS FOR GROUND TESTS OF ROCKET AND SPACE EQUIPMENT

Key words: decision making, ground tests, information support.

This article considers the issues that refer to the usage of a decision-making system while performing ground tests of rocket and space equipment. It also describes the main system components and a method for solving a problem on decision-making support..... 116

INFORMATION ABOUT THE AUTHORS (Russian) 120

INFORMATION ABOUT THE AUTHORS (English) 122

К СВЕДЕНИЮ АВТОРОВ

Научно-технический журнал "Вестник Рязанского государственного радиотехнического университета" публикует на русском языке оригинальные и обзорные статьи.

Основные рубрики журнала:

- передача и обработка информации,
- радиотехнические и измерительные системы,
- информатика и вычислительная техника,
- электроника,
- управление,
- краткие сообщения.

Журнал «Вестник РГРТУ» включен ВАК РФ в перечень изданий, рекомендованных для опубликования основных научных результатов диссертаций на соискание ученой степени доктора и кандидата наук по **электронике, измерительной технике, радиотехнике и связи; по управлению, вычислительной технике и информатике.**

Редколлегия журнала рассматривает рукописи только тех статей, которые соответствуют научному профилю журнала, нигде не опубликованы и не переданы в редакции других журналов.

Журнал издается ежеквартально. Публикация материалов производится на безвозмездной основе. Подписаться на журнал можно по каталогу ОАО Агентства «Роспечать» (подписной индекс 36203). Авторский экземпляр можно получить по почте или лично в редакции.

Требования к статьям, представляемым авторами в редакцию журнала

1. Содержание статьи необходимо изложить лаконично и ясно. **Объем** публикуемых статей (включая рисунки и библиографический список) должен быть **не более 8 и не менее 3** машинописных страниц. Число рисунков не должно превышать половины количества страниц статьи.

В начале статьи необходимо кратко сформулировать задачу, а в конце – полученные научные результаты с указанием их прикладного значения. Заголовок статьи должен кратко формулировать тему. Аннотация (объемом до 10 строк) должна содержать конкретную информацию о результатах, полученных в статье. Отдельной строкой под аннотацией следует привести ключевые слова (5 – 8 слов).

Отдельные разделы статьи должны иметь заголовок (например: «Введение», «Цель работы», «Теоретические исследования», «Экспериментальные исследования», «Выводы»).

2. Статья оформляется следующим образом: индекс УДК, инициалы и фамилия автора (авторов), название статьи, аннотация на русском языке, ключевые слова на русском языке, основной текст статьи, библиографический список.

Статья должна быть подписана всеми авторами.

3. **Рисунки** должны быть выполнены в соответствии с требованиями ЕСКД **в черном изображении** в форматах *.bmp, *.wmf, *.tif, *.psx и прилагаться отдельными файлами на диске. Габаритные размеры рисунков не должны превышать 90 x 120 мм². Ширина рисунка не должна превышать размера ширины колонки.

4. Формулы должны быть выполнены в редакторе Microsoft Equation 3.0.

5. Библиографический список оформляется согласно ГОСТ 7.1.2003 "Библиографическое описание документа" (не использовать автоматическое создание списков). Ссылки на неопубликованные работы не допускаются.

Перечень представляемых авторами материалов

1. Статья (подписанная всеми авторами), подготовленная в редакторе Microsoft Word 97 – Microsoft Word 2003 (формат А4), – 2 экз.
2. Экспертное заключение о возможности публикации в открытой печати (оригинал с подписью и печатью).
3. Аннотация и ключевые слова на английском языке с указанием, также на английском языке, названия статьи, инициалов и фамилии автора (авторов).
4. Сведения об авторах (на русском и английском языках) по форме:

	Автор 1	Автор 2
Ф.И.О. (полностью)			
Место работы (название организации и подразделения)			
Должность			
Ученая степень и ученое звание			
Служебный адрес и телефон			
Домашний адрес и телефон			
Мобильный телефон			
Электронный адрес (для переписки и размещения в журнале)			
Аспирант/докторант (место обучения)			

Обязательно указать ответственного за прохождение статьи.

Все вышеперечисленные материалы должны предоставляться как в бумажном, так и в электронном (на диске RW) виде.

Диск и рукописи авторам не возвращаются.

Данные требования являются обязательными, при их несоблюдении статьи не принимаются к рассмотрению.

Оформленные в соответствии с требованиями статьи принимаются по адресу: 390005, г. Рязань, ул. Гагарина, 59/1, Рязанский государственный радиотехнический университет, к. 307а лаб. корпуса, редакция научно-технического журнала "Вестник РГРТУ". Технический секретарь редколлегии – Пылькина Т.Н., тел. (4912) 46-03-73, внутренний тел. – 11-97.

E-mail: onti@rsreu.ru

Текст статьи располагается на листе форматом А4 (верхнее поле – 2,5 см, остальные – по 2 см) в две колонки шириной по 8,2 см и расстоянием между колонками 0,6 см.

Используемый шрифт – Times New Roman.

Размер шрифта для написания: инициалов и фамилий авторов и названия статьи – 14, индекса УДК, аннотации, основного текста – 11, списка литературы – 10.

Межстрочное расстояние – одинарное.

Абзацный отступ – 0,7 см.

В формулах: латинские буквы выполнять курсивным шрифтом, цифры, греческие буквы, стандартные математические функции – нормальным шрифтом, векторы и матрицы – жирным шрифтом.

Строго выдерживать размер шрифтов в формулах:

– обычный – 11;

– крупный индекс – 7;

– мелкий индекс – 5;

– крупный символ – 11;

– мелкий символ – 9.

Размер шрифта в формулах устанавливается в меню "Размер / Определить" Microsoft Equation 3.0.

В рисунках шрифты (по написанию и размеру) должны соответствовать шрифтам, используемым в тексте (или быть пропорционально уменьшенными).

Подписи к рисункам и таблицам выполнять жирным шрифтом размером 10.